



STIMULATION ELECTRODES



ACTIVE STIMULATION ELECTRODES

Catalog No.	Fig.	Size	Color	Description
TEN030053	A	4" Diameter	Black	Active electrode
TEN030054	A	4" Diameter	Red	Active electrode
TEN030056	A	4" Diameter	Blue	Active electrode
TEN030064	A	4" Diameter	Grey	Active electrode
TEN030065	B	3" Diameter	Tan	Active electrode
TEN030057	B	3" Diameter	Black	Active electrode
TEN030058	B	3" Diameter	Red	Active electrode
TEN030073	B	3" Diameter	Blue	Active electrode
TEN030066	B	3" Diameter	Grey	Active electrode
TEN030061	C	2" Diameter	Black	Active electrode
TEN030062	C	2" Diameter	Red	Active electrode


DISPERSIVE ELECTRODES

Catalog No.	Fig.	Size	Color	Description
TEN030050	F	8" x 10"	Blue/Grey	Dispersive - 0.080 Pin
TEN030051	F	8" x 10"	Blue/Grey	Dispersive - Banana
TEN030093	G	5" x 8"	Grey	Dispersive

SPECIAL ELECTRODES

Catalog No.	Fig.	Size	Color	Description
TEN030101	—	4" x 4"	Grey	Interferential
TEN030102	—	8" x 8"	Grey	Interferential
TEN030097	—	1" Diameter	Black	Active
TEN030096	—	1" Diameter	Red	Active
TEN030063	E	3/4"	Black	Dual Electrode, Facial


STIMULATION CABLES AND LEADS



72" ACTIVE WIRE LEADS

Catalog No.	Electrode Side Fig.	Electrode Side	Machine Side Fig.	Machine Side
TEN031004	C	R&B Double Banana	A	Amphenol Connector Red 3 Pins (1+2)
TEN031005	C	R&B Double Pins .080	A	Amphenol Connector Red 3 Pins (1+2)
TEN031000	C	R&B Banana	A	Amphenol Connector Red 3 Pins (1+2)
TEN031064	C	R&B Banana	A	Amphenol Connector Red 3 Pins (1+3)
TEN031065	C	R&B Banana	A	Amphenol Connector Black 3 Pins (2+3)
TEN031068	C	R&B .080 Pins	A	Amphenol Connector Red 3 Pins (1+3)
TEN031069	C	R&B .080 Pins	A	Amphenol Connector Black 3 Pins (2+3)
TEN031006	C	R&B Banana	B	Phone Plug R / B Mono
TEN031007	C	R&B Banana	B	Phone Plug R / B Stereo
TEN031009	C	R&B Banana	B	Phone Plug R / B Mono Right Angle
TEN031017	C	R&B Banana	B	Phone Plug R / B Stereo Right Angle
TEN031043	C	R&B Banana	C	Banana Plugs R&B
TEN031053	C	R&B Banana	C	Banana Plugs R&B Stack-up
TEN031045	C	R&B Banana	C	Banana Plugs R&B Sheathed
TEN031055	C	R&B Banana	C	Banana Plugs R&B Right Angle
TEN031060	C	R&B Banana	-	0.125" Pins R&B
TEN031008	-	R&B Female Recept.	C	Banana Plugs R&B
TEN031012	-	R&B Female Recept.	B	Phone Plug R&B Mono
TEN031013	-	R&B Female Recept.	B	Phone Plug R&B Mono Right Angle
TEN031014	-	Black Female Recept.	B	Phone Plug Black Mono
TEN031015	-	Red Female Recept.	B	Phone Plug Red Mono
TEN031016	-	R&B Female Recept.	D	Phone Plug R&B Stereo Right Angle
TEN031135	-	R&B Female Recept.	A	Amphenol Connector Red 3 Pins (1+2)
TEN031151	-	Red Female Recept.	A	Amphenol Connector Red 3 Pins (1+2)

STIMULATION CABLES AND LEADS




CATALOG NO	FIG	DESCRIPTION
DIS040001	A	Ultra-Phonic Conductive Gel 5Ltr. Bottle
DIS040005	A	Aquasonic Conductive Gel 1 ltr. Bottle with Dispenser
DIS040005	B	Redux Conductive Gel
DIS300090	—	Lectron II Conductive Gel 90 ml
TEN072140	C	0.080" Pin to Snap Adapter , 6"
TEN072180	D	0.080" Pin to Snap Adapter
TEN072190	E	0.080" Pin to Snap Adapter Button Convertor
TEN072150	F	Banana Adapter to 0.080" Pin Red
TEN072160	F	Banana Adapter to 0.080" Pin Black
TEN072137	G	0.08" Pin to Clip Uni-Clip Adapter Black
TEN072138	G	0.08" Pin to Clip Uni-Clip Adapter Red
TEN040029	I	Electrode-patch 3" dia. - cost per dozen
TEN040030	H	Electrode-patch 4" dia. - cost per dozen
TEN040031	K	Sponge Fabric - cost per square foot
TEN040032	J	Sponge Fabric 8" x 10" for dispersive pad
TEN040042	J	Sponge Fabric 3" x 5"
TEN040039	I	Sponge Fabric 2" dia.
TEN040033	I	Sponge Fabric 3" dia.

CROSS REFERENCE GUIDE FOR ACTIVE WIRE LEADS


Item	Description	Chattanooga	Dynatronics	Mettler
	72" Active Wire Leads			
TEN031135	Amph. conn. Red (Pin 1+2) & R/B fem. rec.	71777		
TEN031151	Amph. conn. Red (Pin 1+2) & Red fem. rec.	74493		
TEN031152	Amph. conn. Blk (Pin 1+2) & Blk fem. rec.	74494		
TEN031008	Banana R/B & R/B fem. rec.	72847		
TEN031012	Mono phone Blk & R/B fem. rec.	74669		
TEN031014	Mono phone Blk & Blk fem. rec.	75003		
TEN031015	Mono phone Red & Red fem. rec.	75004		
TEN031011	R/A mono phone Blk & R/B .080 pins			QK7-01
TEN031011	R/A mono phone & .080 pins - Green			Q03-02
TEN031011	R/A mono phone & .080 pins - Blue			Q03-01
TEN031024	Stereo phone Red & Red .080 pins		7B0071	
TEN031025	Stereo phone Blk & Blk .080 pins		7B0073	
TEN031017	R/A stereo phone Blk & R/B banana			XC1-19
TEN031502	R/A DIN Plug (3 pin) & R/B .080 pins			QK7-06
	120" Active Wire Leads			
TEN031154	Stereo phone Blk & Blk .080 pins		7B0139	
TEN031157	Stereo phone Red & Red .080 pins		7B0141	
TEN031156	R/A mono phone Blk & R/B .080 pins			XK7-03
	72" Dispersive Wire Leads			
TEN031169	R/A mono phone Blk & Red .080 pin			QP1-23
TEN031136	Banana Green & Blk .080 pin	72955		
TEN031044	DC Plug Blk & Blk .080 pin	74113		
TEN031171	Stereo phone & .080 pin - Green		7B0070	
TEN031504	R/A DIN Plug (3 pin) & Red .080 pin			QK7-07
	18" Bifurcated Wire Leads			
TEN031139	Std plug w/.125 pins & .080 pins Red	72849		
TEN031140	Std plug w/.125 pins & .080 pins Blk	72855		
TEN031158	Fem. rec. for .080 pin & .080 pins Green	74087		
TEN031037	Fem. rec. for .080 pin & .080 pins Blk		7B0075	
TEN031038	Fem. rec. for .080 pin & .080 pins Red		7B0077	
	18" Active Wire Leads			
TEN031141	Std plug w/.125 pins & .080 pin Red	72953		
TEN031142	Std plug w/.125 pins & .080 pin Blk	72954		

TENS ELECTRODES









CATALOG NO	FIG	DESCRIPTION
TENP84605	A	Tantone Cloth Covered Electrodes with gel. 1¼" square w/pigtail
TENP85805	B	Cloth Covered Silver Electrodes with gel. 2" diameter w/pigtail
TENP84910	C	Tantone Cloth Covered Electrodes. 2" square w/pigtail
TENC89513	D	Foam Covered Electrodes. 3" X 1" for 0.08" pin connection
TENC89120	E	Carbon rubber Electrodes. 1¼" diameter
TENP85845	F	Cloth Covered Silver Electrodes. 2" square w/pigtail
TENC89150	G	Carbon Rubber Electrodes. 1½" X 1¼"
TENC89470	H	Foam Covered Carbon Electrodes. 1⅝" x 1¼" square for 0.08" pin connection
TENC89320	I	Clear Carbon Strip Electrode, 2" square
TENP85300	J	Foam Covered Electrodes. 2" oval w/pigtail
TENS83215	K	Tantone Cloth Covered Electrodes with gel. 1¼" square w/snap
TENP85800	L	Tantone Cloth Covered Electrodes. 1¼" diameter w/pigtail
TENS82260	M	Foam Covered Electrodes with silver conductor. 1⅝" x 1¼" square w/snap
TENP85140	N	Tantone Cloth Covered Electrodes with silver conductor. 2" X 4" square w/snap
TENP84625	O	Foam Covered Electrodes with silver conductor. 2" diameter w/pigtail
TENC89512	P	Foam Covered Carbon Electrodes. 2" square for 0.08" pin connection
TENP84612	Q	Blue Foam/Cloth Butterfly Electrode with gel and pigtail
TENP85369	U	Foam Covered Electrodes with silver conductor. 2" oval w/pigtail

ULTRASOUND TRANSDUCERS




CATALOG NO	FIG	DESCRIPTION
PTAP2RE15	A	Small Faceplate Size Transducer (1.5" diameter) retrofit from Amrex standard cable to the Amrex QuickConnect Transducer Cable System.
PTAP2RE22	B	Same as A for Large Faceplate Size Transducer (2.25" diameter) retrofit.
PTAP27DCA	C	Replacement Transducer Cable for optional QuickConnect™ System Transducer.
PTA007331	D	Pencil type transducers for Mettler 730, 992 or 994 ultrasound generator
PTA007305	E	5cm ² transducers for Mettler 715, 730, 992 or 994 ultrasound generator. 1MHz
PTA007310	G	10cm ² transducers for Mettler 716, 730, 992 or 994 ultrasound generator. 1MHz
PTA007001	G	10cm ² transducers for Mettler 706 ultrasound generator. (Complete unit must be sent for cal)
PTA007107	F	7cm ² transducers for Mettler 710, ultrasound generator.
PTA007210	G	10cm ² transducers for Mettler 720 ultrasound generator. 1.0 or 3.3 MHz
PTA007291	—	Universal Applicator Cable for Mettler Sonicator 720.
PTA007391	—	Universal Applicator Cable fits Mettler Sonicator 715, 716 or 730.
PTA078234	I	Chattanooga Intellect Legend 2cm ² Ultrasound Transducer. Specify 1 or 3.3MHz
PTA078233	I	Chattanooga Intellect Legend 5cm ² Ultrasound Transducer Specify 1 or 3.3MHz
PTA078232	I	Chattanooga Intellect Legend 10cm ² Ultrasound Transducer Specify 1 or 3.3MHz

HYDROTHERAPY/WHIRLPOOL PARTS





CATALOG NO	FIG	DESCRIPTION
PTA871600	A	18" whirlpool stem thermometer w/ bracket
PTA871800	B	24" whirlpool stem thermometer w/ bracket
PTA00MJ01	C	Medi-Jet complete replacement turbine assembly
PTA00RCWT	D	Replacement Casters for Whirlpool Tanks
PTA113800	E	Ground Fault Circuit Interrupter for wet location safety
PTA579100	F	Replacement Motor Cap Assembly available in green and wine color
PTARDV000	G	Replacement Drain Valve assembly for stationary whirlpools
PTA280DLX	H	Complete whirlpool and tank systems

TENS LEADWIRES



CATALOG NO	FIG	DESCRIPTION
TEN080236	A	For use with:STAODYN 4500, Maxima and Maxima III, STIMTECH 6077, 6078, 6027, Stimburst, Stimpulse, and Stimset, 36", PIN connection (Fig. G) , 1 set/pkg
TEN080736	A	For use with:STAODYN 4500, Maxima and Maxima III, STIMTECH 6077, 6078, 6027, Stimburst, Stimpulse, and Stimset, 36" , SNAP connection, 1 set/pkg
TEN809362	B	For use with: NTRON EMS 8000, 8100 TTS, 2500, 2700 and 2800, 36" , PIN connection (Fig. G) , 1 set/pkg
TEN817362	C	Leadwires For use with: AGAR 9K, AMERICAN IMEX A-TENS, Easy TENS and Premier TENS, AMREX Advanteq and Microteq, APCC 2001 and 3001, AVIONIX Avion TENS, Electra TENS, EZ Stim, EZ1 0's, MicroTENS, Infinity MS, and Stim T, BIOMEDICAL LIFE SYSTEMS B, C, Micro Plus, EMS 2000, Biomed 2000, Biomed Plus, Systems 2000 and Therapulse, EMPI XL, GLS 489 and Focus, GLOBAL Elite, Sigma, Gold, ST606 and Supreme, HENLEY Team Microcurrent, LUMISCOPE 2000, 2000T+, LumiTENS, EMS 400, EMS 700, SW 1000, Pain Reliever, Micro 400, MEDICAL DESIGNS Mini-Stim, MEDA Crown and 2500, MEDICAL DEVICES SMP, Ultra Pac II, SX, Spec II, Spec IIS and Amatron, MEDTRONIC Respond Plus and Eclipse. Also for use with models: 7K, 9K, Aleviator, Apex, Arista, BioTENS, Century 2100, DiaTENS, EMS 100, 300, 400 and 500,Excel 2, Excel SDS, Excaliber, Hercules, MED TENS 100, Medi-TENS, Micro, Micro II, Micro 100, Micro 850, Micro 0, MS 104A, Prohealth 9K, Premed II, PROTENS, 0 TENS, SD6O1, ST6O1, TRANS 0, and Ultima. Length: 36" , PIN connection (Fig. G) , 1set/pkg
TEN817482	C	Same as TEN817362 with Length: 48" , PIN connection (Fig. G) , 1set/pkg
TEN861362	C	Same as TEN817362 with Length: 36" , SNAP connection, 1set/pkg
TEN812362	D	Leadwires For use with: AGAR 9K and Uni-TENS, AMERICAN IMEX Ultima XS, BIO-STIM Biomate & Biomod, DYNEX I, II, III, and IV, EMS Myogard, ERD 8802, 8803, 8804, Micropulsar and Myopulse, LUMISCOPE PC4000 and Microcurrent 400, MEDICAL DESIGNS Spectrum. Spectrum Plus, and Spectrum Max SD, MEDICAL DEVICES 7807, MEDTRONIC, Comfort Plus, Comfortpulse and Complement, 3M 6820, 6880, 6880N, and 6881, PHYSIOTRONICS AutoTENS, 5, T.H. CHARTERS Neuropulsar II and Mini I. Misc. Alpha Stim CS, HMP 4000, Infrasonics, TheraTENS. Length: 36" , PIN connection (Fig. G) , 1set/pkg
TEN812482	D	Same as TEN812362 with Length: 48" , PIN connection (Fig. G) , 1set/pkg
TEN861362	D	Same as TEN812362 with Length: 36" , SNAP connection, 1set/pkg
TEN803242	E	Leadwires For use with: AGAR Uni TENS, AXION IV, MECITRON Mini and P1, MEDICAL DESIGNS ReAct, MEDICAL DEVICES Matrix, Medimod, and MediPac, MENTOR 150, 159, 250, 259, and Neuromuscular II, 3M Myocare, 6208, 6280, 6811, 6801, 6295 and 6298, OMNI-TENS. 24", PIN connection (Fig. G) , 1set/pkg
TEN803362	E	Same as TEN803242 with Length: 36" , PIN connection (Fig. G) , 1set/pkg
TEN803482	E	Same as TEN803242 with Length: 48" , PIN connection (Fig. G) , 1set/pkg
TEN807362	F	Leadwires For use with: DOW CORNING WRIGHT Wright Care, STAODYN 9000, 9000F and NuWave. Length: 36" , PIN connection (Fig. G) , 1set/pkg
TEN808362	F	Same as TEN807362 with Length: 36" , SNAP connection, 1set/pkg

HYDROCOLLATOR/ACCESSORIES/PARTS



CATALOG NO	FIG	DESCRIPTION
TEN002352	A1	Chattanooga Hydrocollator Model SS-2, Versatility for the smaller department or clinic. Includes eight Standard Size HotPacs
PTA002452	B1	Chattanooga Hydrocollator Model M-2, Our most popular intermediate-size unit Extra large tank Includes 12 Standard Size HotPacs
PTA002552	C1	Hydrocollator Model M-4, Our largest mobile heating unit Requires just 20" x 32" floor space Extra-large tank, with oversized drain. Includes 24 Standard Size HotPacs
PTA004010	N	Side Table Rack with stainless steel work surfaces and wire shelves, these racks add efficiency to Hydrocollator heating units. Racks available to fit most models (M-4, M-2, SS-2, C-2, C-5 and C-6.)
PTA001014	A	Half Size HotPac Size: 5" x 12" (12 cm x 30 cm)
PTA001010	B	10 x 24 HotPac Size: 10" x 24" (25 cm x 60 cm)
PTA001004	C	Oversize HotPac Size: 15" x 24" (37 cm x 60 cm)
PTA001008	D	10 x 18 HotPac Size: 10" x 18" (25 cm x 45 cm)
PTA001006	E	Standard HotPac Size: 10" x 12" (25 cm x 30 cm)
PTA001012	F	Knee-Shoulder HotPac Size: 10" x 20" (25 cm x 50 cm)
PTA001002	G	Neck Contour HotPac Size: 24" (60 cm) long
PTA001114	H	Terry Vinyl Covers, Oversize Also fits 10" x 18", 10" x 24" and Knee-Shoulder HotPac
PTA001126	I	Terry Cover, Oversize Also fits 10" x 18", 10" x 24" and Knee-Shoulder HotPac
PTA001118	J	Terry Cover for Standard Also fits Half Size HotPacs. (Use 2 for Oversize HotPacs)
PTA001104	K	Terry Cover for Neck Contour Hydrocollator HotPac
PTA001108	L	Foam-Filled Pocket Terry Covers Standard Also fits Half Size HotPacs
PTA001110	M	Foam-Filled Oversize Pocket Also fits 10" x 18", 10" x 24" and Knee-Shoulder HotPac
PTA004026	O	Chattanooga Flexi-PAC reusable hot/cold compress 5" X 6"